

## Birds of Lolldaiga Hills Ltd.<sup>1</sup>

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<b>Struthionidae</b>	<b>Ostrich</b>		
<i>Struthio camelus</i>	Common ostrich	LC	Two subspecies present.
<b>Numididae</b>	<b>Guineafowl</b>		
<i>Numida meleagris</i>	Helmeted guineafowl	LC	
<i>Acryllium vulturinum</i>	Vulturine guineafowl	LC	
<b>Phasianidae</b>	<b>Stone partridge, francolins, spurfowl, quails</b>		
<i>Francolinus shelleyi</i>	Shelley's francolin	LC	
<i>Francolinus sephaena</i>	Crested francolin	LC	
<i>Francolinus hildebrandti</i>	Hildebrandt's francolin	LC	
<i>Francolinus leucoscepus</i>	Yellow-necked spurfowl	LC	
<i>Coturnix coturnix</i>	Common quail	LC	
<b>Anatidae</b>	<b>Ducks, geese</b>		
<i>Alopochen aegyptiaca</i>	Egyptian goose	LC	
<i>Anas sparsa</i>	African black duck	LC	
<i>Anas undulata</i>	Yellow-billed duck	LC	
<i>Anas clypeata</i>	Northern shoveler	LC	
<i>Anas erythrorhyncha</i>	Red-billed teal	LC	
<i>Anas acuta</i>	Northern pintail	LC	
<i>Anas querquedula</i>	Garganey	LC	
<i>Anas hottentota</i>	Hottentot teal	LC	
<i>Netta erythrophthalma</i>	Southern pochard	LC	
<i>Oxyura maccoa</i>	Maccoa duck	NT	
<b>Podicipedidae</b>	<b>Grebes</b>		

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<i>Tachybaptus ruficollis</i>	Little grebe	LC	
<b>Ciconiidae</b>	<b>Storks</b>		
<i>Mycteria ibis</i>	Yellow-billed stork	LC	
<i>Ciconia nigra</i>	Black stork	LC	
<i>Ciconia abdimii</i>	Abdim's stork	LC	
<i>Ciconia ciconia</i>	White stork	LC	
<i>Leptoptilos crumeniferus</i>	Marabou stork	LC	
<b>Threskiornithidae</b>	<b>Ibises, spoonbills</b>		
<i>Threskiornis aethiopicus</i>	Sacred ibis	LC	
<i>Bostrychia hagedash</i>	Hadada ibis	LC	
<i>Platalea alba</i>	African spoonbill	LC	
<b>Ardeidae</b>	<b>Hérons, egrets, bitterns</b>		
<i>Ixobrychus sturmii</i>	Dwarf bittern	LC	
<i>Butorides striata</i>	Striated heron	LC	
<i>Ardeola idae</i>	Madagascar pond heron	EN	
<i>Bubulcus ibis</i>	Cattle egret	LC	
<i>Ardea cinerea</i>	Grey heron	LC	
<i>Ardea melanocephala</i>	Black-headed heron	LC	
<b>Scopidae</b>	<b>Hamerkop</b>		
<i>Scopus umbretta</i>	Hamerkop	LC	
<b>Pelecanidae</b>	<b>Pelicans</b>		
<i>Pelecanus onocrotalus</i>	Great white pelican	LC	
<i>Pelecanus rufescens</i>	Pink-backed pelican	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<b>Phalacrocoracidae</b>	<b>Cormorants</b>		
<i>Phalacrocorax africanus</i>	Reed cormorant	LC	
<i>Phalacrocorax carbo</i>	Great cormorant	LC	
<b>Falconidae</b>	<b>Falcons</b>		
<i>Falco naumanni</i>	Lesser kestrel	LC	
<i>Falco tinnunculus</i>	Common kestrel	LC	
<i>Falco rupicoloides</i>	Greater kestrel	LC	
<i>Falco vespertinus</i>	Red-footed falcon	NT	
<i>Falco amurensis</i>	Amur falcon	LC	
<i>Falco eleonora</i>	Eleonora's falcon	LC	
<i>Falco concolor</i>	Sooty falcon	NT	
<i>Falco subbuteo</i>	Eurasian hobby	LC	
<i>Falco biarmicus</i>	Lanner falcon	LC	
<b>Accipitridae</b>	<b>Other diurnal birds of prey</b>		
<i>Sagittarius serpentarius</i>	Secretarybird	VU	
<i>Elanus caeruleus</i>	African black-shouldered kite	LC	
<i>Milvus migrans</i>	Black kite	LC	
<i>Haliaeetus vocifer</i>	African fish eagle	LC	
<i>Gypaetus barbatus</i>	Lammergeier	LC	Extirpated from Lolldaiga in 1950s, and from Laikipia ca. 1981.
<i>Neophron percnopterus</i>	Egyptian vulture	EN	Thought extirpated from Lolldaiga ca. 1980, but one seen 24 July 2015. This is first record for Laikipia since ca. 2010.
<i>Necrosyrtes monachus</i>	Hooded vulture	EN	
<i>Gyps africanus</i>	White-backed vulture	EN	
<i>Gyps rueppellii</i>	Ruppell's vulture	EN	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<i>Torgos tracheliotus</i>	Lappet-faced vulture	VU	
<i>Circaetus pectoralis</i>	Black-chested snake eagle	LC	
<i>Terathopius ecaudatus</i>	Bateleur	NT	
<i>Circus aeruginosus</i>	Western marsh harrier	LC	
<i>Circus macrourus</i>	Pallid harrier	NT	
<i>Circus pygargus</i>	Montagu's harrier	LC	
<i>Polyboroides typus</i>	African harrier hawk	LC	
<i>Melierax poliopterus</i>	Eastern chanting goshawk	LC	
<i>Micronisus gabar</i>	Gabar goshawk	LC	
<i>Accipiter tachiro</i>	African goshawk	LC	
<i>Accipiter minullus</i>	Little sparrowhawk	LC	
<i>Accipiter melanoleucus</i>	Great sparrowhawk	LC	
<i>Kaupifalco monogrammicus</i>	Lizard buzzard	LC	
<i>Buteo oreophilus</i>	Mountain buzzard	LC	
<i>Buteo augur</i>	Augur buzzard	LC	
<i>Aquila rapax</i>	Tawny eagle	LC	
<i>Aquila nipalensis</i>	Steppe eagle	LC	
<i>Aquila verreauxii</i>	Verreaux's eagle	LC	
<i>Aquila spilogaster</i>	African hawk-eagle	LC	
<i>Polemaetus bellicosus</i>	Martial eagle	VU	
<i>Lophaetus occipitalis</i>	Long-crested eagle	LC	
<i>Stephanoaetus coronatus</i>	Crowned eagle	NT	
<b>Otididae</b>	<b>Bustards</b>		
<i>Ardeotis kori</i>	Kori bustard	NT	
<i>Eupodotis senegalensis</i>	White-bellied bustard	LC	
<i>Eupodotis gindiana</i>	Buff-crested bustard	LC	
<i>Lissotis hartlaubii</i>	Hartlaub's bustard	LC	
<b>Rallidae</b>	<b>Rails, relatives</b>		
<i>Amaurornis flavirostra</i>	Black crane	LC	
<i>Gallinula chloropus</i>	Common moorhen	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<i>Fulica cristata</i>	Red-knobbed coot	LC	
<b>Heliornithidae</b> <i>Podica senegalensis</i>	<b>Finfoots</b> African finfoot	LC	
<b>Gruidae</b> <i>Balearica regulorum</i>	<b>Cranes</b> Grey crowned crane	EN	
<b>Turnicidae</b> <i>Turnix sylvaticus</i>	<b>Buttonquails, quailplover</b> <i>Common buttonquail</i>	LC	
<b>Burhinidae</b> <i>Burhinus capensis</i>	<b>Thick-knees</b> Spotted thick-knee	LC	
<b>Recurvirostridae</b> <i>Himantopus himantopus</i>	<b>Stilts, avocets</b> Black-winged stilt	LC	
<b>Charadriidae</b> <i>Vanellus armatus</i> <i>Vanellus melanopterus</i> <i>Vanellus coronatus</i> <i>Charadrius tricollaris</i>	<b>Plovers</b> Blacksmith plover Black-winged plover Crowned plover Three-banded plover	LC LC LC LC	
<b>Rostratulidae</b> <i>Rostratula benghalensis</i>	<b>Painted-snipes</b> Greater painted snipe	LC	
<b>Scolopacidae</b> <i>Gallinago gallinago</i>	<b>Sandpipers, relatives</b> Common snipe	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<i>Tringa stagnatilis</i>	Marsh sandpiper	LC	
<i>Tringa nebularia</i>	Common greenshank	LC	
<i>Tringa ochropus</i>	Green sandpiper	LC	
<i>Tringa glarreola</i>	Wood sandpiper	LC	
<i>Actitis hypoleucos</i>	Common sandpiper	LC	
<i>Calidris minuta</i>	Little stint	LC	
<i>Calidris temminckii</i>	Temminck's stint	LC	
<i>Philomachus pugnax</i>	Ruff	LC	
<b>Glareolidae</b>	<b>Egyptian plover, coursers, pratincoles</b>		
<i>Cursorius temminckii</i>	Temminck's courser	LC	
<i>Rhinoptilus cinctus</i>	Heuglin's courser	LC	
<b>Columbidae</b>	<b>Pigeons, doves</b>		
<i>Columba livia</i>	Feral pigeon	LC	
<i>Columba guinea</i>	Speckled pigeon	LC	
<i>Columba arquatrix</i>	African olive pigeon	LC	
<i>Aplopelia larvata</i>	Lemon dove	LC	
<i>Streptopelia lugens</i>	Dusky turtle dove	LC	
<i>Streptopelia semitorquata</i>	Red-eyed dove	LC	
<i>Streptopelia capicola</i>	Ring-necked dove	LC	
<i>Streptopelia senegalensis</i>	Laughing dove	LC	
<i>Turtur chalcospilos</i>	Emerald-spotted wood dove	LC	
<i>Turtur tympanistris</i>	Tambourine dove	LC	
<i>Oena capensis</i>	Namaqua dove	LC	
<i>Treron calvus</i>	African green pigeon	LC	
<b>Psittacidae</b>	<b>Lovebirds, parrots</b>		
<i>Poicephalus gulielmi</i>	Red-fronted parrot	LC	
<i>Poicephalus meyeri</i>	Meyer's parrot	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<b>Musophagidae</b>	<b>Turacos</b>		
<i>Tauraco hartlaubi</i>	Hartlaub's turaco	LC	
<i>Corythaixoides leucogaster</i>	White-bellied go-away bird	LC	
<b>Cuculidae</b>	<b>Cuckoos, coucals</b>		
<i>Clamator glandarius</i>	Great spotted cuckoo	LC	
<i>Cuculus solitarius</i>	Red-chested cuckoo	LC	
<i>Cuculus canorus</i>	Common cuckoo	LC	
<i>Chrysococcyx klaas</i>	Klaas's cuckoo	LC	
<i>Chrysococcyx caprius</i>	Diederik cuckoo	LC	
<i>Centropus superciliosus</i>	White-browed coucal	LC	
<b>Strigidae</b>	<b>Typical owls</b>		
<i>Otus senegalensis</i>	African scops owl	LC	
<i>Bubo africanus</i>	Spotted eagle owl	LC	
<i>Bubo lacteus</i>	Verreaux's eagle-owl	LC	
<i>Strix woodfordii</i>	African wood owl	LC	
<i>Asio capensis</i>	Marsh owl	LC	
<b>Caprimulgidae</b>	<b>Nightjars</b>		
<i>Caprimulgus fraenatus</i>	Dusky nightjar	LC	
<i>Caprimulgus donaldsoni</i>	Donaldson-Smith's nightjar	LC	
<i>Caprimulgus poliocephalus</i>	Montane nightjar	LC	
<i>Caprimulgus tristigma</i>	Freckled nightjar	LC	
<b>Apodidae</b>	<b>Swifts</b>		
<i>Schoutedenapus myoptilus</i>	Scarce swift	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<i>Tachymarptis aequatorialis</i>	Mottled swift	LC	
<i>Tachymarptis melba</i>	Alpine swift	LC	
<i>Apus apus</i>	Common swift	LC	
<i>Apus barbatus</i>	African black swift	LC	
<i>Apus affinis</i>	Little swift	LC	
<i>Apus caffer</i>	White-rumped swift	LC	
<b>Coliidae</b>	<b>Mousebirds</b>		
<i>Colius striatus</i>	Speckled mousebird	LC	
<i>Urocolius macrourus</i>	Blue-naped mousebird	LC	
<b>Trogonidae</b>	<b>Trogons</b>		
<i>Apaloderma narina</i>	Narina trogon	LC	
<b>Coraciidae</b>	<b>Rollers</b>		
<i>Coracias naevius</i>	Rufous-crowned roller	LC	
<i>Coracias caudatus</i>	Lilac-breasted roller	LC	
<i>Coracias garrulus</i>	Eurasain roller	NT	
<b>Alcedinidae</b>	<b>Kingfishers</b>		
<i>Halcyon leucocephala</i>	Grey-headed kingfisher	LC	
<i>Halcyon albiventris</i>	Brown-hooded kingfisher	LC	
<i>Halcyon chelicuti</i>	Striped kingfisher	LC	
<i>Alcedo cristata</i>	Malachite kingfisher	LC	
<i>Megaceryle maxima</i>	Giant kingfisher	LC	
<i>Ceryle rudis</i>	Pied kingfisher	LC	
<b>Meropidae</b>	<b>Bee-eaters</b>		
<i>Merops pusillus</i>	Little bee-eater	LC	



Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<i>Merops oreobates</i>	Cinnamon-chested bee-eater	LC	
<i>Merops apiaster</i>	Eurasian bee-eater	LC	
<b>Upupidae</b>	<b>Hoopoe</b>		
<i>Upupa epops</i>	Hoopoe	LC	
<b>Phoeniculidae</b>	<b>Wood-hoopoes</b>		
<i>Phoeniculus purpureus</i>	Green wood hoopoe	LC	
<i>Phoeniculus damarensis</i>	Violet wood hoopoe	LC	
<i>Rhinopomastus cyanomelas</i>	Common scimitarbill	LC	
<i>Rhinopomastus minor</i>	Abyssinian scimitarbill	LC	
<b>Bucerotidae</b>	<b>Hornbills</b>		
<i>Tockus alboterminatus</i>	Crowned hornbill	LC	
<i>Tockus nasutus</i>	African grey hornbill	LC	
<i>Tockus erythrorhynchus</i>	Red-billed hornbill	LC	
<i>Tockus flavirostris</i>	Eastern yellow-billed hornbill	LC	
<i>Tockus deckeni</i>	Von der Decken's hornbill	LC	
<b>Bucorvidae</b>	<b>Ground hornbills</b>		
<i>Bucorvus leadbeateri</i>	Southern ground hornbill	VU	Extirpated from Lolldaiga ca. 2006.
<b>Capitonidae</b>	<b>Barbets, tinkerbirds</b>		
<i>Pogoniulus bilineatus</i>	Yellow-rumped tinkerbird	LC	
<i>Pogoniulus pusillus</i>	Red-fronted tinkerbird	LC	
<i>Tricholaema diademata</i>	Red-fronted barbet	LC	
<i>Trachyphonus erythrocephalus</i>	Red-and-yellow barbet	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<i>Trachyphonus darnaudii</i>	D'Arnaud's barbet	LC	
<b>Indicatoridae</b>	<b>Honeyguides</b>		
<i>Indicator meliphilus</i>	Pallid honeyguide	LC	
<i>Indicator minor</i>	Lesser honeyguide	LC	
<i>Indicator variegatus</i>	Scaly-throated honeyguide	LC	
<i>Indicator indicator</i>	Greater honeyguide	LC	
<b>Picidae</b>	<b>Wrynecks, woodpeckers</b>		
<i>Jynx torquilla</i>	Eurasian wryneck	LC	
<i>Jynx ruficollis</i>	Red-throated wryneck	LC	
<i>Campethera nubica</i>	Nubian woodpecker	LC	
<i>Dendropicos fuscescens</i>	Cardinal woodpecker	LC	
<i>Dendropicos namaquus</i>	Bearded woodpecker	LC	
<i>Dendropicos goertae</i>	African grey woodpecker	LC	
<b>Platysteiridae</b>	<b>Batises, wattle-eyes, relatives</b>		
<i>Batis molitor</i>	Chin-spot batis	LC	
<b>Malaconotidae</b>	<b>Helmetshrikes, bushshrikes, tchagras, puffbacks</b>		
<i>Prionops plumatus</i>	White-crested helmetshrike	LC	
<i>Malaconotus blanchoti</i>	Grey-headed bushshrike	LC	
<i>Chlorophoneus sulfureopectus</i>	Sulphur-breasted bushshrike	LC	
<i>Rhodophoneus cruentus</i>	Rosy-patched bushshrike	LC	
<i>Tchagra australis</i>	Brown-crowned tchagra	LC	
<i>Tchagra senegalus</i>	Black-crowned tchagra	LC	
<i>Dryoscopus gambensis</i>	Northern puffback	LC	
<i>Laniarius funebris</i>	Slate-coloured boubou	LC	
<i>Laniarius aethiopicus</i>	Tropical boubou	LC	
<i>Nilaus afer</i>	Brubru	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<b>Campephagidae</b>	<b>Cuckooshrikes</b>		
<i>Coracina caesia</i>	Grey cuckooshrike	LC	
<i>Campephaga flava</i>	Black cuckooshrike	LC	
<b>Laniidae</b>	<b>Shrikes</b>		
<i>Eurocephalus rueppelli</i>	Northern white-crowned shrike	LC	
<i>Lanius collurio</i>	Red-backed shrike	LC	
<i>Lanius isabellinus</i>	Isabelline shrike	LC	
<i>Lanius minor</i>	Lesser grey shrike	LC	
<i>Lanius dorsalis</i>	Taita fiscal	LC	
<i>Lanius collaris</i>	Common fiscal	LC	
<b>Oriolidae</b>	<b>Orioles</b>		
<i>Oriolus larvatus</i>	Black-headed oriole	LC	
<i>Oriolus oriolus</i>	Eurasian golden oriole	LC	
<b>Dicruridae</b>	<b>Drongos</b>		
<i>Dicrurus adsimilis</i>	Common drongo	LC	
<b>Monarchidae</b>	<b>Monarch flycatchers</b>		
<i>Terpsiphone viridis</i>	African paradise flycatcher	LC	
<b>Corvidae</b>	<b>Crows, relatives</b>		
<i>Corvus albus</i>	Pied crow	LC	
<i>Corvus rhipidurus</i>	Fan-tailed raven	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<b>Paridae</b>	<b>Tits</b>		
<i>Parus albiventris</i>	White-bellied tit	LC	
<i>Parus thruppi</i>	Northern grey tit	LC	
<b>Hirundinidae</b>	<b>Saw-wings, swallows, martins</b>		
<i>Psalidoprocne albiceps</i>	White-headed saw-wing	LC	
<i>Psalidoprocne pristopectera</i>	Black saw-wing	LC	
<i>Pseudhirundo griseopyga</i>	Grey-rumped swallow	LC	
<i>Riparia paludicola</i>	Plain martin	LC	
<i>Riparia cincta</i>	Banded martin	LC	
<i>Hirundo rustica</i>	Barn swallow	LC	
<i>Hirundo angolensis</i>	Angola swallow	LC	
<i>Hirundo aethiopica</i>	Ethiopian swallow	LC	
<i>Ptyonoprogne fuligula</i>	Rock martin	LC	
<i>Delichon urbicum</i>	Common house martin	LC	
<i>Cecropis abyssinica</i>	Lesser striped swallow	LC	
<i>Cecropis senegalensis</i>	Mosque swallow	LC	
<i>Cecropis daurica</i>	Red-rumped swallow	LC	
<b>Alaudidae</b>	<b>Larks</b>		
<i>Mirafra africana</i>	Rufous-naped lark	LC	
<i>Mirafra rufocinnamomea</i>	Flappet lark	LC	
<i>Mirafra africanoides</i>	Fawn-coloured lark	LC	
<i>Calandrella cinerea</i>	Red-capped lark	LC	
<i>Eremopterix leucopareia</i>	Fischer's sparrow-lark	LC	
<b>Cisticolidae</b>	<b>Cisticolas, relatives</b>		
<i>Cisticola chiniana</i>	Rattling cisticola	LC	
<i>Cisticola bodessa</i>	Boran cisticola	LC	
<i>Cisticola robustus</i>	Stout cisticola	LC	
<i>Cisticola brunnescens</i>	Pectoral-patch cisticola	LC	
<i>Prinia subflava</i>	Tawny-flanked prinia	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<i>Apalis flavida</i>	Yellow-breasted apalis	LC	
<i>Apalis cinerea</i>	Grey apalis	LC	
<i>Camaroptera brachyura</i>	Grey-backed camaroptera	LC	
<i>Calamonastes simplex</i>	Grey wren warbler	LC	
<b>Pycnonotidae</b>	<b>Bulbuls</b>		
<i>Pycnonotus barbatus</i>	Common bulbul	LC	
<i>Andropadus latirostris</i>	Yellow-whiskered greenbul	LC	
<i>Phyllastrephus cabanisi</i>	Cabanis's greenbul	LC	
<b>Sylviidae</b>	<b>Old World warblers</b>		
<i>Chloropeta natalensis</i>	Dark-capped yellow warbler	LC	
<i>Phylloscopus trochilus</i>	Willow warbler	LC	
<i>Eremomela icteropygialis</i>	Yellow-bellied eremomela	LC	
<i>Sylvietta whytii</i>	Red-faced crombec	LC	
<i>Sylvia atricapilla</i>	Blackcap	LC	
<i>Sylvia borin</i>	Garden warbler	LC	
<i>Sylvia communis</i>	Common whitethroat	LC	
<i>Parisoma lugens</i>	Brown parisoma	LC	
<i>Parisoma boehmi</i>	Banded parisoma	LC	
<b>Timaliidae</b>	<b>Illadopses, babblers, chatterers</b>		
<i>Turdoides rubiginosa</i>	Rufous chatterer	LC	
<i>Turdoides sharpei</i>	Black-lored babbler	LC	
<i>Turdoides plebejus</i>	Brown babbler	LC	
<b>Zosteropidae</b>	<b>White-eyes</b>		
<i>Zosterops senegalensis</i>	African yellow white-eye	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<b>Sturnidae</b>	<b>Starlings, oxpeckers</b>		
<i>Creatophora cinerea</i>	Wattled starling	LC	
<i>Lamprotornis chalybaeus</i>	Greater blue-eared starling	LC	
<i>Lamprotornis superbus</i>	Superb starling	LC	
<i>Lamprotornis hildebrandti</i>	Hildebrandt's starling	LC	
<i>Cinnyricinclus leucogaster</i>	Violet-backed starling	LC	
<i>Speculipastor bicolor</i>	Magpie starling	LC	
<i>Onychognathus morio</i>	Red-winged starling	LC	
<i>Buphagus erythrorhynchus</i>	Red-billed oxpecker	LC	
<i>Buphagus africanus</i>	Yellow-billed oxpecker	LC	
<b>Turdidae</b>	<b>Thrushes</b>		
<i>Turdus pelios</i>	African thrush	LC	
<i>Turdus olivaceus</i>	Olive thrush	LC	
<b>Muscicapidae</b>	<b>Chats, wheatears, Old World flycatchers</b>		
<i>Cossypha caffra</i>	Cape robin chat	LC	
<i>Cossypha heuglini</i>	White-browed robin chat	LC	
<i>Cichladusa guttata</i>	Spotted palm thrush	LC	
<i>Cercotrichas leucophrys</i>	White-browed scrub robin	LC	
<i>Saxicola rubetra</i>	Whinchat	LC	
<i>Oenanthe isabellina</i>	Isabelline wheatear	LC	
<i>Oenanthe oenanthe</i>	Northern wheatear	LC	
<i>Oenanthe pleschanka</i>	Pied wheatear	LC	
<i>Myrmecocichla aethiops</i>	Northern anteatater chat	LC	
<i>Thamnolaea cinnamomeiventris</i>	Mocking cliff chat	LC	
<i>Monticola saxatilis</i>	Common rock thrush	LC	
<i>Monticola rufocinereus</i>	Little rock thrush	LC	
<i>Melaenornis fischeri</i>	White-eyed slaty flycatcher	LC	
<i>Melaenornis pammelaina</i>	Southern black flycatcher	LC	
<i>Bradornis pallidus</i>	Pale flycatcher	LC	
<i>Bradornis microrhynchus</i>	African grey flycatcher	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<i>Muscicapa striata</i>	Spotted flycatcher	LC	
<i>Muscicapa adusta</i>	African dusky flycatcher	LC	
<b>Nectariniidae</b>	<b>Sunbirds</b>		
<i>Hedydipna collaris</i>	Collared sunbird	LC	
<i>Chalcomitra amethystina</i>	Amethyst sunbird	LC	
<i>Chalcomitra senegalensis</i>	Scarlet-chested sunbird	LC	
<i>Nectarinia kilimensis</i>	Bronze sunbird	LC	
<i>Cinnyris reichenowi</i>	Northern double-collared sunbird	LC	
<i>Cinnyris mariquensis</i>	Marico sunbird	LC	
<i>Cinnyris venustus</i>	Variable sunbird	LC	
<b>Passeridae</b>	<b>Sparrow weavers, Old World sparrows, petronias</b>		
<i>Pseudonigrita arnaudi</i>	Grey-capped social-weaver	LC	
<i>Passer eminibey</i>	Chestnut sparrow	LC	
<i>Passer rufocinctus</i>	Kenya rufous sparrow	LC	
<i>Passer griseus</i>	Grey-headed sparrow	LC	
<i>Petronia pyrgita</i>	Yellow-spotted petronia	LC	
<b>Ploceidae</b>	<b>Weavers, bishops, widowbirds</b>		
<i>Sporopipes frontalis</i>	Speckled-fronted weaver	LC	
<i>Ploceus baglafecht</i>	Baglafecht weaver	LC	
<i>Ploceus ocularis</i>	Spectacled weaver	LC	
<i>Ploceus xanthops</i>	Holub's golden weaver	LC	
<i>Ploceus vitellinus</i>	Vitelline masked weaver	LC	
<i>Ploceus spekei</i>	Speke's weaver	LC	
<i>Anaplectes melanotis</i>	Red-headed weaver	LC	
<i>Quelea quelea</i>	Red-billed quelea	LC	
<i>Euplectes capensis</i>	Yellow bishop	LC	
<i>Euplectes albonotatus</i>	White-winged widowbird	LC	
<i>Euplectes progne</i>	Long-tailed widowbird	LC	

Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<i>Euplectes jacksoni</i>	Jackson's widowbird	NT	
<b>Estrildidae</b>	<b>Waxbills</b>		
<i>Estrilda rhodopyga</i>	Crimson-rumped waxbill	LC	
<i>Estrilda astrild</i>	Common waxbill	LC	
<i>Coccyzygia quartinia</i>	Yellow-bellied waxbill	NE	
<i>Estrilda charnosyna</i>	Black-cheeked waxbill	LC	
<i>Uraeginthus bengalus</i>	Red-cheeked cordon-bleu	LC	
<i>Granatina ianthinogaster</i>	Purple grenadier	LC	
<i>Lagonosticta senegala</i>	Red-billed firefinch	LC	
<i>Odontospiza griseicapilla</i>	Grey-headed silverbill	LC	
<i>Spermestes cucullatus</i>	Bronze mannikin	LC	
<b>Viduidae</b>	<b>Parasitic weaver, indigobirds, whydahs</b>		
<i>Vidua macroura</i>	Pin-tailed whydah	LC	
<b>Motacillidae</b>	<b>Wagtails, longclaws, pipits</b>		
<i>Motacilla flava</i>	Yellow wagtail	LC	
<i>Motacilla capensis</i>	Cape wagtail	LC	
<i>Motacilla clara</i>	Mountain wagtail	LC	
<i>Motacilla alba</i>	White wagtail	LC	
<i>Motacilla aguimp</i>	African pied wagtail	LC	
<i>Macronyx croceus</i>	Yellow-throated longclaw	LC	
<i>Macronyx aurantiigula</i>	Pangani longclaw	LC	
<i>Macronyx ameliae</i>	Rosy-breasted longclaw	LC	
<i>Anthus cinnamomeus</i>	Grassland pipit	NE	
<i>Anthus similis</i>	Long-billed pipit	LC	
<i>Anthus leucophrys</i>	Plain-backed pipit	LC	
<i>Anthus trivialis</i>	Tree pipit	LC	
<i>Anthus caffer</i>	Bush pipit	LC	



Order and scientific name <sup>2</sup>	Common name <sup>2</sup>	Threat <sup>3</sup>	Comments
<b>Fringillidae</b>	<b>Canaries, citrils, seedeaters, relatives</b>		
<i>Serinus flavivertex</i>	Yellow-crowned canary	LC	
<i>Serinus citrinelloides</i>	African citril	LC	
<i>Serinus reichenowi</i>	Reichenow's seedeater	LC	
<i>Crithagra dorsostriata</i>	White-bellied canary	LC	
<i>Crithagra sulphurata</i>	Brimstone canary	LC	
<i>Crithagra reichardi</i>	Stripe-breasted seedeater	LC	
<i>Crithagra striolata</i>	Streaky seed-eater	LC	
<i>Crithagra burtoni</i>	Thick-billed seed-eater	LC	
<b>Emberizidae</b>	<b>Old World buntings</b>		
<i>Emberiza tahapisi</i>	Cinnamon-breasted bunting	LC	
<i>Emberiza flaviventris</i>	Golden-breasted bunting	LC	

<sup>1</sup> Contact Tom Butynski ([tbutynski@aol.com](mailto:tbutynski@aol.com)) or Yvonne de Jong ([yvonne@wildsolutions.nl](mailto:yvonne@wildsolutions.nl)) if you have any additions to this list, find errors, or have comments or requests.

<sup>2</sup> The taxonomy and common names applied here are taken from:

Bird Committee. 2009. *Checklist of the Birds of Kenya*, Fourth edition. Nature Kenya—East Africa Natural History Society, Nairobi.

<sup>3</sup> Degree of threat category for the species, and the abbreviations, taken from: IUCN. 2015. *2015 IUCN Red List of Threatened Species*. <[www.iucnredlist.org](http://www.iucnredlist.org)>.

Abbreviations: CR: Critically Endangered; EN: Endangered; VU: Vulnerable; DD: Data Deficient; LC: Least Concern; NE: Not Evaluated; NT: Near Threatened.

Prepared by Thomas M. Butynski, Lorna A. Depew, Yvonne A. de Jong, Michael Roberts and Julius Mathiu.

Total species in the above list is 341, two of which are extirpated. Of the extant species, four are 'Vulnerable', six are 'Endangered', and six are 'Near Threatened'.

Last compiled: 1 August 2015.